



Safety Hook GBK

For use with Grade 100 or Grade 80 chain. Safety hook with clevis connector and grab latch.

Stock No.	Code	WLL (lb)	L	B	G	H	Weight (lb)
Z100758	GBK-6-10	3306	3.43	1.02	0.59	0.67	0.88
Z100849	GBK-7-10	4500	4.49	1.42	0.79	0.87	1.10
Z100759	GBK-8-10	5700	4.69	1.42	0.79	0.87	1.76
Z100760	GBK-10-10	8800	5.91	1.85	0.87	1.14	3.09
Z100761	GBK-13-10	15000	6.77	2.09	1.14	1.50	5.95
Z100762	GBK-16-10	22600	8.19	2.68	1.18	1.77	9.70

4:1 Design Factor. Fulfills requirements in: EN 1677:2008 (WLL +25%), ASTM A952/A952M and AS 3776:2015.

Safety Hook BKG

For use with Grade 100 or Grade 80 chain. Safety hook with clevis connector and standard latch.

Stock No.	Code	WLL (lb)	L	B	G	H	Weight (lb)
Z101110	BKG-6-10	3306	3.58	1.14	0.59	0.83	1.10
Z101098	BKG-7-10	4500	4.72	1.46	0.67	0.87	1.10
Z101100	BKG-8-10	5700	4.76	1.46	0.67	1.02	1.98
Z101026	BKG-10-10	8800	5.67	1.77	0.83	1.22	3.31
Z101034	BKG-13-10	15000	7.09	2.17	1.18	1.57	6.61
Z101042	BKG-16-10	22600	8.62	2.44	1.46	1.97	12.13
Z101091	BKG-20-10	35300	9.45	2.68	1.73	2.44	21.16

4:1 Design Factor. Fulfills requirements in: EN 1677:2008 (WLL +25%), ASTM A952/A952M and AS 3776:2015.

Safety Hook BKGC

For use with Grade 100 or Grade 80 chain. Safety hook with clevis connector for skip loaders.

Stock No.	Code	WLL (lb)	L	B	G	H	Weight (lb)
Z1002401	BKGC-13-10	15000	6.46	2.17	1.06	1.69	7.05

4:1 Design Factor. Fulfills requirements in: EN 1677:2008 (WLL +25%), ASTM A952/A952M and AS 3776:2015.

Sling Hook GKC

For use with Grade 100 or Grade 80 chain. Sling hook with clevis connector for skip loaders.

Stock No.	Code	WLL (lb)	L	B	G	H	Weight (lb)
Z7006461	GKC-13-10	15000	7.40	2.36	1.06	1.69	5.51

4:1 Design Factor. Fulfills requirements in: EN 1677:2008 (WLL +25%), ASTM A952/A952M and AS 3776:2015.

Clevis Egglink CEL

Stock No.	Code	WLL (lb)	C	E	G	H	L	Weight (lb)
Z701968	CEL-8-10	5733	3.15	1.57	0.55	0.59	3.94	0.88
Z701969	CEL-10-10	8820	3.94	1.97	0.71	0.75	4.96	1.54
Z701970	CEL-13-10	14994	5.12	2.56	0.91	0.98	6.38	3.31

4:1 Design Factor. Fulfills requirements in: EN 1677:2008, ISO 8539:2009, ASTM A952/A952M and AS 3776:2015.

